

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	38	(buffer near array) with (empty full)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:02
L2	49	(array) with entry with (index pointer) with (empty full)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 09:41
L3	0	(array) with entry with (index pointer) with (empty full) with buffer\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 09:41
L5	1	log near buffer with index with (bit flag status empty full)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 09:48
L24	292	(buffer near array) with (empty full flag bit status)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:03
L25	87	(buffer near array) with (empty full flag bit status) with (index pointer address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:10
L26	74	25 not 1	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:03
L27	14748	(array) with (empty full flag bit status) with (index pointer address)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:11
L28	2965	(array) with (empty full flag bit status) with (index pointer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:11
L29	332	(array) with (empty full flag bit status) with (index pointer) same buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:11
L30	6	(array) with (empty full flag bit status) with (index pointer) same buffer same log	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:13

L31	12	(array) with (empty full flag bit status) with (index pointer) same buffer same (lock\$3 mutex semaphore sync synchroniz\$3 synhronization)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:16
L32	63	(array) with (empty full flag bit status) with (index pointer) same (lock\$3 mutex semaphore sync synchroniz\$3 synhronization)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:23
L33	61	(array) with (empty full flag bit available free) with (index pointer) same (lock\$3 mutex semaphore sync synchroniz\$3 synhronization)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:43
L34	9	33 not 32	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:23
L35	166	(array) same (empty full flag bit available free) with (index pointer) same (lock\$3 mutex semaphore sync synchroniz\$3 synhronization)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:44
L36	105	35 not 33	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 10:44
L37	4	("5867734").URPN.	USPAT	OR	ON	2005/12/19 10:44
L38	0	("6173307").URPN.	USPAT	OR	ON	2005/12/19 10:46
L39	10	("4914570" "4916658" "5003471" "5093912" "5125083" "5155820" "5175829" "5867734" "5922057" "5925099").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 10:46
L40	4247	(709/223).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/19 11:53
L41	435	(710/56).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/19 11:53
L42	2872	(718/100,104,105).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/19 11:53
L43	1022	(719/310,312).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/19 11:53
L44	1073	(719/328).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/19 11:53

L45	102	(array list queue) with (pointer index offset) near2 (current last previous\$2) same (lock\$3 mutex semaphore)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L46	65	(array list queue) with (pointer index offset) near2 (current last previous\$2) same thread	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L47	15	(buffer array list queue memory bucket) with (pointer index offset) near2 (current last previous\$2) same (lock\$3 mutex semaphore spin\$lock) same log\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L48	150	(buffer array list queue memory) with (pointer index offset) near2 (current last previous\$2) same (lock\$3 mutex semaphore)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L49	22	(buffer) with (pointer index offset) near2 (current last previous\$2) same (lock\$3 mutex semaphore)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L50	22	(buffer) with (pointer index offset) near2 (current last previous\$2) same (lock\$3 mutex semaphore)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L51	2359	(buffer) with (pointer index offset) same (flag\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L52	22	(buffer) with (pointer index offset) same (flag\$3) same thread	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L53	17	(Glass with Graham).in.	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L54	0	(lock-free or lock adj free) same thread same unsynchron\$9 same (block\$3 or suspend\$3) same (log or logging or record\$3 or stor\$3)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L55	8	(log or logging) near2 (request\$3 or access\$3) near5 (resource or content) same (stack or queue or buffer)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L56	6	(log or logging) near2 (request\$3 or access\$3) near5 (resource or content) with (stack or queue or buffer)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53

L57	48	(log or logging) same buffer with manag\$9 same (web or server)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L58	14	(log or logging) same buffer with manag\$9 same (web or server) and thread	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L59	5	(log or logging) same buffer with manag\$9 same (web or server) same thread	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L60	74	(log or logging) with (request\$3 or access\$3) same buffer with manag\$9	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L61	2	(log or logging) with (request\$3 or access\$3) with resource same buffer with manag\$9	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53
L62	26	(log or logging) with (stack or queue or buffer) with (request\$3 or access\$3) with (resource or content) same (web or server)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2005/12/19 11:53